Comparison of the attention of reporting guidelines and trial registration in nursing journals in recent seven years

Tsai-Wei Huang, RN, PhD^{1,2}, Ka-Wai Tam, MD, PhD^{2,3,4}; Chieh-feng Chen, MD, PhD^{2,5,6}; Jun-Hung Lai, MD, MSc⁷

¹ School of Nursing, College of Nursing, Taipei Medical University, Taipei, Taiwan


² Cochrane Taiwan, Taipei Medical University, Taipei, Taiwan

³ Division of General Surgery, Department of Surgery, College of Medicine, Taipei Medical University, Taipei, Taiwan

⁴ Division of General Surgery, Department of Surgery, Shuang Ho Hospital, Taipei Medical University, New Taipei City, Taiwan

⁵ Department of Public Health, School of Medicine, College of Medicine, Taipei Medical University, Taipei, Taiwan

⁶ Division of Plastic Surgery, Department of Surgery, Wan Fang Hospital, Taipei Medical University, Taipei, Taiwan



Reporting guidelines listed at the website of the







Trusted evidence. Informed decisions. Better health.

Of 89 nursing journals examined in 2012, 25 (28.1%) required authors to


EQUATOR network, such as CONSORT and PRISMA, are known to improve reliability of medical research literature by promoting transparent and accurate reporting of research studies. Similarly, trial registration improved research transparency and will ultimately strengthen the validity and value of the scientific evidence base. Most biomedical journals require authors to ensure that the manuscript includes all the information recommended in the relevant reporting guidelines, and support clinical trial registration policies by the World Health Organization. However, the attention of reporting guidelines and trial registration in nursing journals is comply the recommendation in the relevant reporting guidelines, and only 7 (7.7%) required clinical trial registration.

 In 2015, reporting guidelines were required in 43/107 (40.2%) journals, and trial registration were demanded in 13/107 (12.1%) journals. In 2019, 118 nursing journals were evaluated, 64 (54.2%) need authors to follow the reporting guidelines, and 52 (44.1%) will not consider the trials for publication unless they were registered prospectively before recruitment of any participants.





 The study is aimed to evaluate the editorial policy of nursing journals in the basic requirements for reporting guidelines and trial registration in recent seven years.



 The "Instructions for Authors" of nursing journals included in ISI Web of Science was reviewed for evidence of an editorial policy on the reporting guidelines and trial registration in Although improvement in recent years, half of nursing journals still do not require the authors to comply the recommendation of relevant reporting guidelines, nor claim the need of trial registration prior to the start of patient

March 2012, March 2015 and March 2019.



enrollment in a clinical study. For the purpose of improve

reliability of nursing research literatures, there is a need

for nursing journals to post a requirement on the reporting

guidelines and trial registration.



