



Development of a simulator for ultrasound-guided vascular access for training and propagating Cochrane evidence

Thaís Rodrigues de Freitas

Third-Year Medical Student

Universidade Federal de São Paulo - Brazil

Attie G, Estrutti C, Ka PL, Daolio R, Carvalho VB, Moura Neto A, Prestes O, Sarpe A, Flumignan C, Guedes LG, Vasconcelos V, Guedes H, Amorim J, Flumignan R, Nakano L



Disclosures


- I have no actual or potential conflict of interest in relation to this presentation



Introduction


- Evidence-based medicine

Analysis 1.1. Comparison 1 Ultrasound guidance vs anatomical landmarks for internal jugular vein cannulation for central vein catheterization, Outcome 1 Complication rate total.



Introduction

- Simulation: practice and repetition
- Problems to face:
 - High cost
 - Brazilian economic reality
- Researching center in realistic training area – Prof. Nakano
- UNIFESP




Objective


- Premises:



Low cost




Easy reproduction




Easy handling




Materials and Methods





Professor Nakano



Ultrasound image – Real Neck




Ultrasound image - Simulator

Practical test




Results



- Success rate:

	Senior Medical Students	Residents
Before (anatomic landmarks)	44%	66%
After training (ultrasound)	100%	100%

- Acceptance: >90%



- 81 Dollar (manufactured) X 8100 Dollar (industrialized)



100x reduction



Conclusion

- Achieved:



Low cost



Easy reproduction



Easy handling



Thank you very much!

